


# 8 CF

Conducto Flexible  
Flexible Piping  
*Conduit Flexible*



**CE** Especificaciones de acuerdo a la legislación europea en productos de construcción **CPR**  
Specifications according to EU product regulations of construction **CPR**  
Spécifications Selon la réglementation européenne concernant les produits de construction **CPR**



**AISI 316L**

(1.4404)

**1856-2**

T200 P1 W Vm L50010 O

T450 N1 D Vm L50010 G



**AISI 904L**


(1.4539)

**1856-2**


T200 P1 W Vm L70010 O

T450 N1 D Vm L70010 G

**Radio máximo curvatura**  
**Maximum radius of curvature**  
*Rayon de courbure maximum*



**Empaquetado | Packaging | Emballage**



### Tubo flexible - doble capa | Flexible piping - double layer | Conduit flexible - double couche



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L-304	Ref.	2700986	2700988	2700989	2700991	2700945	2700854	2700855
	€/m m.	60	55	55	50	50	40	40
AISI 316L-316L	Ref.	4015218	4015220	4015221	4015223	4015224	4015226	4015227
	€/m m.	60	55	55	50	50	40	40

### Manguito flex-flex | Flex-flex hose | Manchette flex-flex



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4020978	4020980	4020981	4020983	4020984	4020986	4020987
	€ U.	1	1	1	1	1	1	1

### Manguito unión flex silicona-flex silicona | Silicone flex-silicone flex hose connection | Manchette de raccordement flex silicone-flex silicone \*



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4016319	4018118	-	4018120	4018121	4018123	4018124
	€ U.	1	1	-	1	1	1	1

\* Disponible hasta fin de existencias. | Available until stocks last. | Jusqu'à épuisement des stocks.

### Manguito unión macho-flex | Male-flex hose connection | Manchette de raccordement mâle-flex



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4021291	4021292	4021293	4021295	4021297	4021299	4021301
	€ U.	1	1	1	1	1	1	1
ØD SP		80	100	100	125	130	150	150

### Manguito unión macho-flex silicona | Silicone male-flex hose connection | Manchette de raccordement mâle-flex silicone \*



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4016321	4018108	-	4018110	4018111	4018114	4018116
	€ U.	1	1	-	1	1	1	1
ØD SP		80	100	-	125	130	150	150

\* Disponible hasta fin de existencias. | Available until stocks last. | Jusqu'à épuisement des stocks.

### Manguito unión flex-hembra | Female-flex hose connection | Manchette de raccordement flex-femelle



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4021277	4021278	4021279	4021281	4021282	4021283	4021285
	€ U.	1	1	1	1	1	1	1
ØD SP		80	100	110	125	130	150	150

### Terminal obra sin ventilar flex | Flex non-ventilated end piece | Solin toit plat non ventilé flex



		ØD mm						
		80	100	110	125	130	150	160
AISI 316L	Ref.	4024638	4024896	4024641	4024644	4024645	4024647	4024648
	€ U.	1	1	1	1	1	1	1
ØD SP		80	100	110	125	130	150	150

Medidas | Measurements | Mesures

□ A		80	100	110	125	130	150	160
		400	400	400	400	400	400	400

### Abrazadera de araña | Spider bracket | Bride araignée



		ØD mm						
		80	100	110	125	130	150	160
AISI 304	Ref.	4008372	4018448	4018693	4018695	4013533	4009721	4025627
	€ U.	1	1	1	1	1	1	1

### Abrazadera terminal flexible | Flexible end-piece bracket | Collier haut de tubage flexible



		ØD mm						
		80	100	110	125	130	150	160
AISI 304	Ref.	4015960	4015962	4020583	4016065	4020589	4016223	4020590
	€ U.	1	1	1	1	1	1	1

Ref.	4020986	Unidades de embalaje Packing units Unités d'emballage
€/u	1	

180	200	230	250
2700856	4008034	4021154	2700858
30	30	10	10
4015228	4015229	4021152	4015231
30	30	20	10

180	200	230	250
4020988	4020989	4020505	4020991
1	1	1	1

180	200	230	250
-	-	-	-
-	-	-	-

180	200	230	250
4021302	4021303	4021304	4021305
1	1	1	1
180	200	230	250

180	200	230	250
-	-	-	-
-	-	-	-
-	-	-	-

180	200	230	250
4021286	4021287	4021288	4021289
1	1	1	1
180	200	230	250

180	200	230	250
4024649	4024650	4024652	4024653
1	1	1	1
180	200	230	250

400	450	500	500
-----	-----	-----	-----

180	200	230	250
4012491	4016687	4027251	4025629
1	1	1	1

180	200	230	250
4016176	4020591	4023519	4018772
1	1	1	1

